
Clearlite
EASY ON THE EYES
SHEET GLASS
Fourco Glass Company

for quality glazing

CLEARLITE is specified by leading architects wherever top quality sheet glass is required for—windows, sliding glass doors, display cases, furniture tops, and other purposes.

MORE than fifty years of *FLAT* glass manufacturing stands back of *CLEARLITE.*

IT is a product skillfully made by men dedicated to *QUALITY.*

Nationally famous builders and architects throughout the Nation—men who *KNOW* sheet glass best also *KNOW* that *CLEARLITE* serves them best.

It is a proven fact that this famous product enhances any structure in appearance and prestige.

When your specifications call for *SHEET GLASS* you can depend upon *CLEARLITE* quality and you can depend upon a personal service.

Our Divisional Sales Offices and branches are conveniently located.

Contact one of our representatives and get the *CLEARLITE* story—without any obligation on your part.

SPECIFY "CLEARLITE Sheet Glass" to guarantee *QUALITY* and performance.

superior quality of CLEARLITE sheet glass

CLEARLITE is a flat sheet of glass with excellent clarity. It is drawn vertically in continuous sheets, uniform in thickness, annealed as drawn, retaining its natural polished surface under any atmospheric condition. Its superior quality is dependable and because of its unique coefficient of expansion and great tensile strength, is adaptable to special requirements.

For the highest type of glazing and wherever sheet glass is used, **Clearlite** meets the most exacting specifications.

tests and grading with quality label

CLEARLITE is graded to "A" and "B" quality glass according to the highest standards of the glass industry. These grades fully comply with, and often exceed, standards defined by Federal Specifications DD-G-451a. Clearlite is constantly tested and inspected during production to make certain that each light is worthy of the **Clearlite** label.

Every light of **Clearlite** is labeled to indicate the quality.

"A" quality	"B" quality
"A" single	"B" single
"A" double	"B" double
"A" 3/16"	"B" 3/16"
"A" 7/32"	"B" 7/32"
"A" 1/4"	"B" 1/4"

typical uses	suggested maximum sizes	nominal thickness	actual thickness			quality available		product designation
			min.	aver.	max.	"B"	"A"	
mirrors picture frames	60 united inches*		.058	.067	.069	"A"	"B"	14 oz.
	80 united inches*		.070	.077	.080	"A"	"B"	16 oz.
general glazing venetian windows	90 united inches*	3/32″	.085	.091	.100	"A"	"B"	Single Strength
general glazing storm windows	120 united inches*	1/8″	.115	.124	.133	"A"	"B"	Double strength
display cases patio doors picture windows furniture tops partitions jalousie windows window ventilators	120 x 76″	3/16″	.182	.187	.205	"A"	"B"	3/16″ Crystal sheet
	120 x 76″	7/32″	.205	.213	.230	"A"	"B"	7/32″ Crystal sheet
	100 x 76″	1/4″	.240	.249	.255	"A"	"B"	1/4″ Crystal sheet

*** United inches equal length plus width. Larger sizes will be furnished when requested**

shipping and distribution

The high quality standards maintained in the manufacture of **Clearlite** are applied to shipping and distribution services. **Clearlite** is packed with paper between each light, enclosed in corrugated paper wrapping and shipped in wooden boxes from three modern plants. **Clearlite**, distributed through jobbers in all principal cities, is available to glaziers and dealers everywhere.

ordering information

Always specify glass with the horizontal dimension FIRST regardless of size. *(See Fig. 1 and 2)*



Figure #1



Figure #2

suggested specifications

All exterior windows except as noted shall be glazed with CLEARLITE flat drawn double (or single) strength flat drawn glass of A (or B) quality as defined by Federal Specification DD-G-451a. Each light shall bear the CLEARLITE Label showing strength and quality.

All window glass designated "CS" on drawings and the glass for partitions, display cases, window ventilators, etc. shall be CLEARLITE crystal Sheet 7/32″ (or 3/16″) thick and A (or B) quality.

unusual conditions

CLEARLITE salesmen are available to assist you with your glass problems. Sales offices are listed on back page. Your local glass dealer will also furnish additional information.

Clearlite
EASY ON THE EYES
SHEET GLASS

for every purpose where quality is needed and specified

May be glazed with either single or double strength CLEARLITE window glass.



May be glazed with either single or double strength CLEARLITE window glass.



May be glazed with either $\frac{3}{16}$" or $\frac{7}{32}$" CLEARLITE Crystal Sheet.



May be glazed with either single or double strength CLEARLITE window glass.

general offices

Union National Bank Building
Clarksburg, West Virginia

divisional sales offices

NEW YORK (17) N.Y.
Channin Building
122 E. 42nd St.
Ph: Oxford 7-0889

CHICAGO (4) ILL.
Consumers Building
220 S. State St.
Ph: Webster 9-2050

KANSAS CITY (6) MO.
1220 R. A. Long Building
Ph: Victor 2-4410

sales offices

New York City
Chicago, Ill.
Detroit, Mich.
Kansas City, Mo.
Boston, Mass.
San Francisco, Cal.
Memphis, Tenn.
Dallas, Texas
Atlanta, Ga.

factories

Clarksburg, W. Va. (2)
Fort Smith, Ark.

Fourco Glass Company

CLARKSBURG, W. VA.

Digitized by:

ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Carol J. Dyson, AIA